

Q-TEE RANGE - WOOD AND GAS

RAIS®



STEEL DOOR



STEEL DOOR



LEATHER HANDLE



RAIS Q-TEE RANGE

The Rais Q-Tee range provides a quality and attractive range of wood and gas fires, of differing sizes and aesthetics. The ethos of high performance and ease-of-use, combined with a timeless design, makes it equally easy to find a place for them in any contemporary or traditional home.

All Rais Q-Tee fires are convection fires, which give a more comfortable heat. All fires also exceed the SIA's Eco Design requirements.

Customisable options are available, a glass or steel framed door, choice of 5 handles, a choice of legs, log store, bench or wall mounted.

Rais gives you all the elements…



RAIS Q-TEE 57

A

4.7kW (2 - 6kW Min - Max)

80%

0.8 g / kg

435 x 388 x 570 / 670 / 850mm
(W D H)

With the lowest emissions of all Rais stoves and fires, the DEFRA exempt Q-Tee is the ideal wood burning stove for a smaller room. It was designed by Rais specifically to meet the requirements of the British wood burning stove market.
The sleek styling and cubist look make it perfect for the discerning customer searching for practicality with a contemporary finish. The Q-Tee is equally at home in both a traditional or modern setting. The single air control, shaking grate and removable ash pan make this a very user-friendly stove. Available with a glass or steel framed door, choice of 5 handles, optional 100mm legs, 280mm log store or wall mounted, and top or rear outlet flue connection and AirSystem for direct air connection.

Customized by RAIS


Wooden Handle (supplied as standard)


Stainless Steel


Brown Leather


Black Leather


Classic Long Stainless Steel


57cm


With 100mm legs


With 280mm log store


Wall mounted



RAIS Q-TEE 57 C (Curved)

A

4.7kW (2 - 6kW Min - Max)

80%

0.8 g / kg

435 x 388 x 570 / 670 / 850mm
(W D H)

A curvaceous version of the Q-Tee, the Q-Tee C gives a softer, rounded organic look.
The stove can be configured in different ways to create a range of looks suitable for every home. The single air control, shaking grate and removable ash pan add to its ease-of-use.
Available with a glass or steel framed door, choice of 5 handles, and optional 100mm legs or a 280mm log store with an open or closed firewood storage compartment.
It can be either wall mounted or placed on the various options listed above, giving you the flexibility to choose your desired aesthetic.
You can also choose from a top or rear outlet flue connection and AirSystem for direct air connection.

Customized by RAIS


Wooden Handle (supplied as standard)


Stainless Steel


Brown Leather


Black Leather


Classic Long Stainless Steel


57cm


With 100mm legs


With 280mm log store


With log store and cover


Wall mounted



RAIS Q-TEE 2

Featuring a large window which offers an absolutely spectacular view of the fire, the Q-Tee 2 combines elegant Rais functionality with outstanding performance and efficiency. This DEFRA exempt wood burning stove boasts excellent environmental credentials.
The single air control, shaking grate and removable ash pan make this a very user-friendly stove.
Available with a glass or steel framed door, a choice of 5 handles, and optional 125mm or 165mm legs, and a uniquely asymmetrical 280mm or 380mm log store to further enhance the already stunning visual effect of the Q-Tee 2.
You can also choose from a top or rear outlet flue connection and AirSystem for direct air connection.

A+

6.7kW (3 - 8kW Min - Max)

75%

≤40mg PM^2

582 x 410 x 600mm (W D H)

Customized by RAIS



Wooden Handle (supplied as standard) | Stainless Steel | Brown Leather | Black Leather | Classic Long Stainless Steel



60cm | With 125mm legs | With 165mm legs | With 280mm log store | With 380mm log store



RAIS Q-TEE 2C (Curved)

A curvaceous version of the minimalist Q-Tee 2, the Q-Tee 2C has the same robustness of construction, but with a softer and more rounded profile.
With a large window providing a magnificent view of the fire, the Q-Tee 2C fits perfectly into the contemporary or traditional home, providing a warm focal point.
As with all the Rais Q-Tee range, the single air control, shaking grate and removable ash pan add further to the functionality of the Q-Tee 2C.
Available with a glass or steel framed door, choice of 5 handles, optional 125mm or 165mm legs and a 280mm or 380mm log store, the Q-Tee 2C can be customised to your liking. An optional, removable cover on the log store is also available, for a more minimalistic look.
You can also choose from a top or rear outlet flue connection and AirSystem for direct air connection.

A+

6.7kW (3 - 8kW Min - Max)

75%

≤40mg PM^2

656 x 479 x 600mm (W D H)

Customized by RAIS



Wooden Handle (supplied as standard) | Stainless Steel | Brown Leather | Black Leather | Classic Long Stainless Steel



60cm | With 125mm legs | With 165mm legs | With 280mm log store and cover | With 380mm log store



RAIS Q-TEE 2C SOAPSTONE (Curved)

Q-Tee 2C Soapstone is an effective heating source in a gorgeous, organic design. The large amount of soapstone (approx. 181 kg) stores heat and ensures an even, comfortable room temperature for many hours. The single air control, shaking grate and removable ash pan add further to the functionality of the Q-Tee 2C Soapstone.
Available with a glass or steel framed door and a choice of 5 handles. The stove also features an integrated log store with optional removable cover, giving a stylish and modern foundation, while providing extra storage space and a distinctive look.
You can also choose from a top or rear outlet flue connection and AirSystem for direct air connection.

A+

6.7kW (3 - 8kW Min - Max)

75%

≤ 40mg PM^2

660 x 479 x 590mm (W D H)

Customized by RAIS



Wooden Handle (supplied as standard) | Stainless Steel | Brown Leather | Black Leather | Classic Long Stainless Steel



With log store | With log store and cover

RAIS Q-TEE GAS RANGE

The Rais Q-Tee gas range with its sleek, cubist design is understated elegance with a distinct urban twist.
Create a cosy ambience in your home with a warm, blazing fire without compromising on design, comfort, and convenience.
The Q-Tee gas range stands out with its stylish, contemporary design, easy operation with just a single click of the remote, and a beautiful, all-natural flame image.

With any of the Q-Tee gas range from Rais, you get more installation options than with a regular wood burning stove. They are all balanced flue and are room sealed, reducing drafts and the need for an air vent. Making for a warmer, more efficient room.

They are easily controlled using the remote control or your smartphone/tablet via the dedicated app. You can turn your stove on or off with a just a click of a button and also adjust the temperature. The easy operating system coupled with the elegant flexibility and magnificent flames makes the whole experience of the Rais Q-Tee gas range a true joy.

Available for Natural Gas or LPG.





RAIS Q-TEE 2 GAS

A

Gas burning stoves from Rais are incredibly easy to use, just press the remote control or use the app on your smartphone/tablet and you have fire. In just a few seconds, you have beautiful flames and warm, cosy heat. Moreover, you can easily turn the heat up or down as needed.

With its sleek, cubist design, the Rais Q-Tee 2 gas possesses a cool, understated elegance but with a distinct urban twist.

You can choose from a range of options to customise your stove. Available with a glass or steel framed door, optional 125mm or 165mm legs, and a uniquely asymmetrical 280mm or 380mm log store, further enhancing the stunning visual effect. You can also choose from Natural Gas or LPG and either a top or rear outlet flue connection.

Min 1.7kW Max 6.3kW
(Min 1.8kW Max 5.7kW LPG)

78.3%

582 x 410 x 603mm (W D H)

Customized by RAIS





60cm | With 125mm legs | With 165mm legs | With 280mm log store | With 380mm log store



RAIS Q-TEE 2C GAS (Curved)

A

The Q-Tee 2C gas has beautifully rounded corners and an expansive curved glass window providing maximum visibility of the flames.
Gas burning stoves from Rais are incredibly easy to use, just press the remote control or use the app on your smartphone/tablet and you have fire. In just a few seconds, you have beautiful flames and warm, cosy heat. Moreover, you can easily turn the heat up or down as needed.
You can choose from a range of options to customise your stove. Available with a glass or steel framed door, optional 125mm or 165mm legs, and a 280mm or 380mm log store for a touch of understated elegance.
You can also choose from Natural Gas or LPG and either a top or rear outlet flue connection.

Min 1.7kW Max 6.3kW
(Min 1.8kW Max 5.7kW LPG)

78.3%

660x 479 x 603mm (W D H)

Customized by RAIS





60cm | With 125mm legs | With 165mm legs | With 280mm log store | With 380mm log store

ACCESSORIES

The difference lies in the details...
We know that it is the small details that make a big difference, it is the detail that forms entireties, coherence and synergy. This is why we have created a series of accessories that match the design of the Q-Tee collection of wood burning stoves to complete your home decor both practically and aesthetically.
These accessories include everything you might need for your stove from convection grilles, firewood carriers, fireplace tools, wood storage.

Freshening up some of our stove accessories with new design details, our Carry firewood carrier and a number of our stove tool sets now feature rustic full grain leather handles with heavy-duty hand stitching that gets more attractive with age.

FIREPLACE TOOLS
Raw and minimalist, Rais fireplace tools are super functional and streamlined. Knowing that small details make the big difference, these accessories complete your wood burning stove practically and aesthetically.
These fireplace tools can be mounted on to the wall or placed on the floor upon a concrete base. There is also the option to choose between handles in stainless steel or leather.





WOODY FIREWOOD BAG
This newly designed firewood bag combines elegant details, luxurious materials and practical simplicity with a surprisingly large carrying capacity. Sewn in flax with leather trim, coloured stitching and a reinforced canvas bottom. Woody wears forever and only gets more beautiful with age.

WOODBOX
Conceal firewood with a Rais Woodbox. A beautifully made, practical and elegant solution for storage in your home. Use it to discretely store firewood or other items if you choose.
The handsome Woodbox is square and designed with a lid that lies perfectly flush with the box edge. It comes in either natural or smoky oiled oak.






STOVE SPECIFICATIONS


RAIS Q-TEE 57


TECHNICAL DATA


A

DIMENSIONS (W - D - H)	
External dimensions	435 - 388 - 570mm
Combustion chamber inner dimensions	317 - 270 - 270mm
Flue outlet (diameter) top flue	125 or 150mm
Flue outlet (diameter) rear flue	150mm
Distance from centre to the back edge of the top plate	131mm
KEY FIGURES	
Output (Nominal)	4.7kW
Output (Min - Max)	2 - 6kW
Efficiency	80 %
Particulates	0.8 g/kg
DISTANCE TO FLAMMABLE MATERIAL	
To wall at side	275mm
To wall at back	350mm
Above the stove	800mm
To non flammable wall at back and sides, we recommend	50mm
In Front	650 mm
WEIGHT	80kg
OPTIONS	
100mm legs	
280mm log store	









STOVE SPECIFICATIONS

RAIS Q-TEE 57 C (CURVED)

TECHNICAL DATA

A

DIMENSIONS (W - D - H)

External dimensions	528 - 459 - 565mm
Combustion chamber inner dimensions	317 - 270 - 270mm
Flue outlet (diameter) top flue	125 or 150mm
Flue outlet (diameter) rear flue	150mm
Distance from centre to the back edge of the top plate	171mm

KEY FIGURES

Output (Nominal)	4.7kW
Output (Min - Max)	2 - 6kW
Efficiency	80 %
Particulates	0.8 g/kg

DISTANCE TO FLAMMABLE MATERIAL


To wall at side	275mm
To wall at back	350mm
Above the stove	800mm
To non flammable wall at back and sides, we recommend	50mm
In Front	650mm

WEIGHT 80kg


OPTIONS


100mm legs


280mm log store


























STOVE SPECIFICATIONS

RAIS Q-TEE 2

TECHNICAL DATA

A+

DIMENSIONS (W - D - H)

External dimensions	582 - 410 - 600mm
Combustion chamber inner dimensions	446 - 277 - 265mm
Flue outlet (diameter) top flue	150mm
Flue outlet (diameter) rear flue	150mm
Distance from centre to the back edge of the top plate	131mm

KEY FIGURES

Output (Nominal)	6.7kW
Output (Min - Max)	3 - 8kW
Efficiency	75%
Particulates	≤ 40mg PM2

DISTANCE TO FLAMMABLE MATERIAL

To wall at side	400mm
To wall at back	300mm
Above the stove	750mm
To non flammable wall at back and sides, we recommend	50mm
In Front	1200mm

WEIGHT 125kg


OPTIONS


125mm legs


165mm legs


280mm log store


380mm log store















STOVE SPECIFICATIONS

RAIS Q-TEE 2 C

TECHNICAL DATA

A+

DIMENSIONS (W - D - H)	
External dimensions	656 - 479 - 600mm
Combustion chamber inner dimensions	446 - 277 - 256mm
Flue outlet (diameter) top flue	150mm
Flue outlet (diameter) rear flue	150mm
Distance from centre to the back edge of the top plate	159mm
KEY FIGURES	
Output (Nominal)	6.7kW
Output (Min - Max)	3 - 8kW
Efficiency	81 %
Particulates	≤ 40mg PM2
DISTANCE TO FLAMMABLE MATERIAL	
To wall at side	400mm
To wall at back	300mm
Above the stove	750mm
To non flammable wall at back and sides, we recommend	50mm
In Front	1200mm
WEIGHT	146kg
OPTIONS	
125mm legs	
165mm legs	
280mm log store	
380mm log store	



STOVE SPECIFICATIONS

RAIS Q-TEE 2 C SOAPSTONE

TECHNICAL DATA

A+

DIMENSIONS (W - D - H)

External dimensions	696 - 507 - 1038mm
Combustion chamber inner dimensions	446 - 277 - 256mm
Flue outlet (diameter) top flue	150mm
Flue outlet (diameter) rear flue	150mm
Distance from centre to the back edge of the top plate	174mm

KEY FIGURES

Output (Nominal)	6.7kW
Output (Min - Max)	3 - 8kW
Efficiency	75 %
Particulates	< 40mg PM2


DISTANCE TO FLAMMABLE MATERIAL


To wall at side	400mm
To wall at back	300mm
To non flammable wall at back and sides, we recommend	50mm
In front	1200mm


WEIGHT


Stove 125kg


Soapstone 181kg approx.











HELPING YOU DEAL WITH COMBUSTIBLES

UED CONNECTING FLUE

When installing any stove, the proximity of combustible materials can be a problem.

The UK Building Regulations call for a clearance of three times the diameter between combustible material (timber, plasterboard etc.) and a flue pipe. So, for instance, a 150mm single wall flue pipe will need a clearance to timber wall cladding of 450mm (18").

UED flue pipe is the solution to this problem.

UED is a twin walled flue pipe with a 7.5mm air gap between the inner and outer skin.

This insulating air gap means that UED flue can be safely positioned as close as 200mm to combustible materials, such as timber cladding or decorative timber beams.

* Where the wall behind the stove is non combustible e.g. bricks, tiles, granite etc, the minimum recommended clearance behind the stove is 50mm.





STOVE SPECIFICATIONS


RAIS Q-TEE 2 GAS


TECHNICAL DATA

A









DIMENSIONS (W - D - H)

External dimensions	582 - 410 - 603mm
Flue outlet (diameter) top flue	Concentric 100/150mm
Flue outlet (diameter) rear flue	Concentric 100/150mm
Distance from centre to the back edge of the top plate	149mm

KEY FIGURES

Output (Min - Max)	1.7 - 6.3kW	Natural Gas
	1.8 - 5.7kW	LPG
Efficiency		78.3 %

DISTANCE TO FLAMMABLE MATERIAL

To wall at side	250mm
To wall at back	50mm
Above the stove	1000mm
To non flammable wall at back and sides, we recommend	50mm

WEIGHT 87kg

OPTIONS

125mm legs

165mm legs

280mm log store


380mm log store


STOVE SPECIFICATIONS


RAIS Q-TEE 2 C GAS

TECHNICAL DATA

A







DIMENSIONS (W - D - H)

External dimensions	660 - 479 - 603mm
Flue outlet (diameter) top flue	Concentric 100/150mm
Flue outlet (diameter) rear flue	Concentric 100/150mm
Distance from centre to the back edge of the top plate	179mm

KEY FIGURES


Output (Min - Max)	1.7– 6.3kW 1.8 - 5.7kW	Natural Gas LPG
Efficiency		78.3 %


DISTANCE TO FLAMMABLE MATERIAL

To wall at side	250mm
To wall at back	50mm
Above the stove	1000mm
To non flammable wall at back and sides, we recommend	50mm

WEIGHT 94kg







OPTIONS

125mm legs

165mm legs


280mm log store


380mm log store

STOVE SPECIFICATIONS
ENERGY RATINGS


From January 2018 energy labelling became compulsory for all solid fuel and gas heating appliances.

SOLID FUEL






NAT GAS



LPG



NOTES


GLASS DOOR


TOKYO